

Safety Data Sheet (SDS) Double Strip

Section 1: Identification

Product Identifier: Recommended Use:	 Double Strip Powerful wax stripper: Easy to use, non-combustible and non-flammable even in its most concentrated form. Chemically converts the insoluble film from old floor polishes into a soluble solution for easy removal. Double Strip is designed to remove modern floor finishes without scrubbing. Old fashioned waxes or floor sealers may however require scrubbing for removal. Designed exclusively for easy removal of floor finish from vinyl, vinyl asbestos, linoleum, linotile, marble, terrazzo, ceramic, quarry, etc
Supplier:	SuperSteam Asia Pacific Pte Ltd 11 Changi South Street 3 #03-02 Singapore 486122
Phone:	+65 6595 4333 (Mon-Fri, 9am – 6pm)
Fax:	+65 6745 2440
Email:	info@SuperSteam.com.sg

This product is made in Singapore in a ISO 22000:2005 compliant facility.

Section 2: Hazards Identification

GHS Classification

Skin Corrosion / Irritation:	Category 2
Acute Toxicity – Oral:	Category 3
Serious Eye Damage / Irritation:	Category 2

GHS Label Elements

Pictograms:



Signal Word:

Corrosives

Hazard Statements:	
H300:	Fatal if swallowed.

H314: H401:	Causes skin burns and eye damage.	
H401:	Toxic to aquatic life	
Precautionary Stateme	ents:	
P102:	Keep out of reach of children.	
P103:	Read label before use.	
P220:	Keep away from acids, may cause explosion	
P233:	Keep container tightly closed.	
P261:	Avoid breathing vapours	
P262:	Do not get in eyes, on skin or on clothing.	
P271:	Use only in well-ventilated area.	
P280:	Wear protective gloves / clothing / eye / face protection.	
Response:		
P301 + P330 + P331:	If swallowed: Rinse mouth, do NOT induce vomiting. Obtain medical attention	
P303 + P361 + P353:	If on skin: Remove/take off immediately all contaminated clothing. Rinse skin with plenty of water. If symptoms develop, obtain medical attention.	
P304 + P340:	If Inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing.	
P352:	(After handling) Wash hands thoroughly with soap and water.	
P363:	Wash contaminated clothing before reuse.	
P305 + P351 + P338:	If in eyes: SPEED IS ESSENTIAL! Immediately irrigate with eyewash solution or clean water, holding the eyelids apart, for at least 10 minutes. Obtain immediate medical attention. Remove contact lenses if present and easy to do.	
Storage:		
P403 + P233:	Store in a well-ventilated place. Keep container tightly closed.	
P420:	Store away from acids / peroxides / alcohol.	
Disposal:		
P501:	Dispose of contents / containers in accordance with Singapore regulations.	

Section 3: Composition / Information on Ingredients

Component Name	CAS	Composition
Potassium Hydroxide	1310-58-3	<20%
2-butoxyethanol	111-76-2	<10%
Monoethanolamine	141-76-2	<10%

Section 4: First-Aid Measures

General Advice:

Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid. Seek medical advice if you feel unwell. Show this safety data sheet to the doctor in attendance.

Inhalation:

If inhaled, move person into fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if necessary.

Skin Contact:

After handling, wash hands thoroughly with soap and water.

If on skin, remove/take off immediately all contaminated clothing. Rinse skin with plenty of water / shower. Wash contaminated clothing before reuse. If symptoms develop, obtain medical attention.

Eye Contact:

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If irritation persist, seek medical advice.

Ingestion:

If swallowed: Rinse mouth, do NOT induce vomiting. Wash out mouth. Seek medical advice immediately.

Section 5: Fire-Fighting Measures

Suitable Extinguishing Media:

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific Hazards Arising From the Chemical:

Do not allow run-off from fire fighting to enter drains or water courses.

Special Protective Actions for Fire Fighters:

In event of fire, wear self-contained breathing apparatus.

Section 6: Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Measures:

For personal protection, see section 8. Use personal protective equipment (e.g. gloves, boots) and ensure adequate ventilation

Environmental Precautions:

Do not flush into surface or sanitary sewer system. If the product contaminates rivers, reservoirs or drains, inform respective authorities.

Methods and Materials for Containment and Cleaning Up:

Soak up with inert absorbent material (e.g. sawdust). Keep in suitable, closed containers for disposal.

Section 7: Handling and Storage

Precautions for Safe Handling:

For personal protection, see section 8. Avoid contact with eyes, skin and clothing. Eating, drinking or smoking in work areas is prohibited. After handling, always wash hands thoroughly with soap and water. Remove contaminated clothing and protective equipment before entering eating areas.

Conditions for safe storage, including any incompatibilities:

Keep container tightly closed and properly labelled in a dry and well-ventilated place.

Section 8: Exposure Controls/Personal Protection

Control Parameters / Occupational Exposure Limits:

N.A.

Appropriate Engineering Control Measures:

Effective exhaust ventilation system. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal Protection:

Respiratory Protection:

In case of vapour formation, use a respirator with an approved filter

Skin Protection:

<u>Wear chemical resistant gloves such as PVC</u>. Also recommended to wear chemical resistant safety boots. Always decontaminate your PPE after every use.

Eye Protection:

<u>Wear safety glasses as a minimum eye protection</u>. It is advisable to wear a face shield as droplets may deposit on skin when applied with spray. Consult your standard operating procedure or safety professional for advice.

Appearance at 25°C:	Brown
Odour:	Mild solvent
Property:	
pH:	13 (+/- 0.5)
Freezing point:	N.A.
Initial boiling point / range:	Not available
Flashpoint:	Not available
Evaporation Rate:	Not available
Flammability:	N.A.
Upper/lower flammability:	N.A.
Vapour Pressure:	Non volatile
Vapour Density:	N.A.
Relative Density:	1.02
Solubility in water at 25°C:	Completely soluble
Partition Coefficient:	N.A.
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available
Viscosity:	Not available

Section 9: Physical and Chemical Properties

Section 10: Stability and Reactivity

Reactivity:

Oxidising agent.

Chemical Stability:

The product is stable if stored in cool room in tightly closed container.

Possibility of Hazardous Reactions:

Contact with acid will release intense heat and energy.

Conditions to Avoid:

Direct light and heat sources.

Incompatible Materials: Acids.

Hazardous Decomposition Products:

N.A.

Section 11: Toxicological Information

Inhalation:

Mist and vapour are corrosive to the respiratory tract and may cause bronchial irritation. Gas produced under fire or acidic conditions is toxic by inhalation.

Skin:

Causes burns. Repeated and/or prolonged contact to dilute solutions may cause dermatitis. May cause skin sensitisation in some cases.

Eyes:

Risk of serious damage to eyes. Extremely sever irritant/corrosive causing severe initial pain. May cause permanent damage if eye is not immediately irrigated.

Ingestion:

May cause irritation to mucous membranes. May cause corrosion or damage to gastrointestinal tract.

Section 12: Ecological Information

Ecotoxicity Effects:

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Product is soluble in water. Toxic to aquatic organisms. Very toxic to fish.

Persistence and Degradability

The product decomposes quickly in soil or water and fully biodegradable.

Bioaccumulative Potential

The ingredients used demonstrate low potential for bioaccumulation

Mobility in Soil No available information

Other Adverse Effects

N.A.

Section 13: Disposal Considerations

Dispose of all waste and contaminated equipment in accordance with all applicable federal, state and local health and environmental regulations. Recovery and reuse, rather than disposal, should be the ultimate goal of handling efforts. The materials resulting from the clean-up operations may be hazardous wastes and therefore, subject to specific regulations. Use only licensed transporters and permitted facilities for waste disposal.

Section 14: Transport Information

UN Number: 1814 Class 8, packing group III This product is not regulated under transport regulations.

Section 15: Regulatory Information

Applicable National Regulations:

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subject to the SDS, labelling and other requirements in the Act/Regulations. Environmental Protection and Management Act: This product is subject to the requirements in the Act/Regulations.

Section 16: Other Information

Usage information

Recommended Dilution

Double Strip may be used

- Exaggerated build-ups along baseboard:
- Heavy build-ups over an entire floor surface:
- Lighter build-ups:

Neat (no dilution) Dilute 1:1 parts of water. Dilute 1:3 parts of water.

Scrubbing may be required for removal of extreme build-ups or removal of sealer. Double Strip will remove oil from skin so rubber gloves are recommended if one is in contact with the solution for any period of time.

Expiry date: 2 years from the date of production (unopened cap, intact seal, stored in normal temperature away from high heat and direct sunlight).

Date Created and Latest Revision(s) 12 February 2010: Date of issue of SDS 14 February 2017: Updated Section 9 29 December 2017: Updated Section 16 15 August 2018: Last review without changes 23 November 2018: Updated Section 1

Product proudly manufactured in Singapore.

SuperSteam Asia Pacific Pte Ltd is a one-stop distributor of professional cleaning machines, janitorial supplies and cleaning chemicals. Please feel free to contact us if you have any questions on this product or face any cleaning problems.

This information is provided for the customer's investigation and independent verification. While the data is believed to be correct at time of publishing, the use of this data and of the product is beyond the manufacturer's control. SuperSteam Asia Pacific Pte Ltd shall in no event be responsible for any loss or damages whatsoever, directly or indirectly resulting from the publication or use of or reliance upon the data contained herein. No warranty, either expressed or implied, of merchantability, of fitness, or of any nature with respect to the product, or to the data, is made herein. In all cases, it is the responsibility of the user to determine the applicability of such information or the suitability of any products for their own particular purpose.