



**SUPERSTEAM**  
THE CHOICE OF CLEANING PROFESSIONALS

## Safety Data Sheet (SDS)

### AMG: Anti Mould Gel

#### Section 1: Identification

---

Product Identifier: AMG: Anti Mould Gel  
Recommended Use: Formulation of bleach in gel form which is highly effective in removing mould and mildew. Readily clings to vertical surface. Easy to apply and biodegradable.  
Supplier: SuperSteam Asia Pacific Pte Ltd  
11 Changi South Street 3 #03-02 Singapore 486122  
Phone: +65 6595 4333 (Mon-Fri, 9am – 6pm)  
Fax: +65 6745 2440  
Email: info@SuperSteam.com.sg

*This product is made in Singapore in a ISO 22000:2005 compliant facility.*

#### Section 2: Hazards Identification

---

##### GHS Classification

Skin Corrosion / Irritation: Category 2  
Acute Toxicity – Oral: Category 3  
Serious Eye Damage / Irritation: Category 2

##### GHS Label Elements

##### Pictograms:



Signal Word: Corrosives

##### Hazard Statements:

H300: Fatal if swallowed.  
H314: Causes skin burns and eye damage.  
H331: Toxic if inhaled (Chlorine gas).  
H401: Toxic to aquatic life

**Precautionary Statements:**

P102:	Keep out of reach of children.
P103:	Read label before use.
P220:	Keep away from acids, liberates toxic gas (Chlorine)
P233:	Keep container tightly closed.
P261:	Avoid breathing vapours
P262:	Do not get in eyes, on skin or on clothing.
P271:	Use only in well-ventilated area.
P280:	Wear protective gloves.
P235 + P410:	Keep cool. Protect from sunlight.

**Response:**

P301 + P330 + P331:	If Swallowed: Rinse mouth, Do NOT induce vomiting. Wash out mouth with water and give 200-300mL of water to drink. Obtain medical attention
P303 + P361 + P353:	If on Skin: Remove/take off immediately all contaminated clothing. Rinse skin with plenty of water. If symptoms develop, obtain medical attention.
P304 + P340:	If Inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if necessary.
P352:	(After handling) Wash hands thoroughly with soap and water.
P363:	Wash contaminated clothing before reuse.
P305 + P351 + P338:	If in eyes: SPEED IS ESSENTIAL! Immediately irrigate with eyewash solution or clean water, holding the eyelids apart, for at least 10 minutes. Obtain immediate medical attention. Remove contact lenses if present and easy to do.

**Storage:**

P403 + P233:	Store in a well-ventilated place. Keep container tightly closed.
P410:	Protect from sunlight.
P420:	Store away from acids.

**Disposal:**

P501:	Dispose of contents / containers in accordance with Singapore regulations.
-------	--

**Section 3: Composition / Information on Ingredients**

---

Component Name	CAS	Composition
Sodium Hypochlorite	7681-52-9	<20%
Sodium Hydroxide	1310-73-2	<5%

**Section 4: First-Aid Measures**

---

**General Advice:**

Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid. Seek medical advice if you feel unwell. Show this safety data sheet to the doctor in attendance.

**Inhalation:**

If inhaled, move person into fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if necessary.

**Skin Contact:**

After handling, wash hands thoroughly with soap and water.

If on skin, remove/take off immediately all contaminated clothing. Rinse skin with plenty of water / shower. Wash contaminated clothing before reuse. If symptoms develop, obtain medical attention.

**Eye Contact:**

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If irritation persists, seek medical advice.

**Ingestion:**

If Swallowed: Rinse mouth, Do NOT induce vomiting. Wash out mouth with water and give 200-300mL of water to drink. Seek medical advice immediately.

## Section 5: Fire-Fighting Measures

---

**Suitable Extinguishing Media:**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Specific Hazards Arising From the Chemical:**

Do not allow run-off from fire fighting to enter drains or water courses.

**Special Protective Actions for Fire Fighters:**

In event of fire, wear self-contained breathing apparatus.

## Section 6: Accidental Release Measures

---

**Personal Precautions, Protective Equipment and Emergency Measures:**

For personal protection, see section 8. Use personal protective equipment (e.g. gloves, boots) and ensure adequate ventilation

**Environmental Precautions:**

Do not flush into surface or sanitary sewer system. If the product contaminates rivers, reservoirs or drains, inform respective authorities.

**Methods and Materials for Containment and Cleaning Up:**

Soak up with inert absorbent material (e.g. sawdust). Keep in suitable, closed containers for disposal.

## Section 7: Handling and Storage

---

**Precautions for Safe Handling:**

For personal protection, see section 8. Avoid contact with eyes, skin and clothing. Eating, drinking or smoking in work areas is prohibited. After handling, always wash hands thoroughly with soap and water. Remove contaminated clothing and protective equipment before entering eating areas.

**Conditions for safe storage, including any incompatibilities:**

Keep container tightly closed and properly labelled in a dry and well-ventilated place.

## Section 8: Exposure Controls/Personal Protection

---

**Control Parameters / Occupational Exposure Limits:**

N.A.

**Appropriate Engineering Control Measures:**

Effective exhaust ventilation system. Ensure that eyewash stations and safety showers are close to the workstation location.

**Personal Protection:****Respiratory Protection:**

In case of vapour formation, use a respirator with an approved filter

**Skin Protection:**

Wear chemical resistant gloves such as PVC. Also recommended to wear chemical resistant safety boots. Always decontaminate your PPE after every use.

**Eye Protection:**

Wear safety glasses as a minimum eye protection. Conditions may warrant the use of chemical goggles and possibly a face shield. Consult your standard operating procedure or safety professional for advice.

**Section 9: Physical and Chemical Properties**

---

Appearance at 25°C: Opaque gel  
Odour: Chlorine

**Property:**

pH:	12.5 (+/- 0.5)
Freezing point:	N.A.
Initial boiling point / range:	Not available
Flashpoint:	Not available
Evaporation Rate:	Not available
Flammability:	N.A.
Upper/lower flammability:	N.A.
Vapour Pressure:	Non volatile
Vapour Density:	N.A.
Relative Density:	N.A.
Solubility in water at 25°C:	Completely soluble
Partition Coefficient:	N.A.
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available
Viscosity:	80000 mPa.s (Brookfield, spindle L4, 6 rpm)

## Section 10: Stability and Reactivity

---

### Reactivity:

Oxidising agent.

### Chemical Stability:

The product is stable if stored in cool room in tightly closed container.

### Possibility of Hazardous Reactions:

Contact with acids liberates toxic gas (Chlorine). Reacts with ammonia solutions and amines to form explosive compounds. Can react violently if in contact with methanol. Decomposition with evolution of oxygen is accelerated by light and heat and also by contact with many metals particularly copper, iron and nickel. Thermal decomposition will evolve toxic chlorine gas. Oxidising agent, may assist combustion.

### Conditions to Avoid:

Direct light and heat sources.

### Incompatible Materials:

Acids, ammonia solutions & amines, methanol, many metals – copper, iron, nickel etc

### Hazardous Decomposition Products:

Chlorine

## Section 11: Toxicological Information

---

### Inhalation:

Mist and vapour are corrosive to the respiratory tract and may cause bronchial irritation. Gas produced under fire or acidic conditions is toxic by inhalation.

### Skin:

Causes burns. Repeated and/or prolonged contact to dilute solutions may cause dermatitis. May cause skin sensitisation in some cases.

### Eyes:

Risk of serious damage to eyes. Extremely severe irritant/corrosive causing severe initial pain. May cause permanent damage if eye is not immediately irrigated.

### Ingestion:

May cause irritation to mucous membranes.  
May cause corrosion or damage to gastrointestinal tract.

## Section 12: Ecological Information

---

### Ecotoxicity Effects:

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Product is soluble in water. Toxic to aquatic organisms. Very toxic to fish.

### Persistence and Degradability

The product decomposes quickly in soil or water and fully biodegradable.

**Bioaccumulative Potential**

The ingredients used demonstrate low potential for bioaccumulation

**Mobility in Soil**

No available information

**Other Adverse Effects**

N.A.

**Section 13: Disposal Considerations**

---

Dispose of all waste and contaminated equipment in accordance with all applicable federal, state and local health and environmental regulations. Recovery and reuse, rather than disposal, should be the ultimate goal of handling efforts. The materials resulting from the clean-up operations may be hazardous wastes and therefore, subject to specific regulations. Use only licensed transporters and permitted facilities for waste disposal.

**Section 14: Transport Information**

---

UN Number: 1791 Hypochlorite solutions

IMDG/IATA/ICAO Class: 8

Packing group: III

**Section 15: Regulatory Information**

---

**Applicable National Regulations:**

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subject to the SDS, labelling and other requirements in the Act/Regulations.

Environmental Protection and Management Act: This product is subject to the requirements in the Act/Regulations.

**Section 16: Other Information**

---

**Usage information**

Use neat, do NOT dilute

Keep away from eyes.

Keep out of reach of children

Do not ingest

Keep away from heat and direct sunlight.

Usage instruction:

1. Shake well before use
2. Apply over affected area. Cap tightly after use.
3. Leave overnight
4. Wipe away the residual gel the following day. Rinse the surface
5. Repeat as necessary

**Expiry date:** 1 years from the date of production (unopened cap, intact seal, stored in normal temperature away from high heat and direct sunlight).

Date Created and Latest Revision(s)

**21, March, 2017:** Date of issue of SDS

**12, December, 2017:** Update on Section 14

**29 December 2017:** Updated Section 16

**23 November 2018:** Updated Section 1

**Product proudly manufactured in Singapore.**

SuperSteam Asia Pacific Pte Ltd is a one-stop distributor of professional cleaning machines, janitorial supplies and cleaning chemicals. Please feel free to contact us if you have any questions on this product or face any cleaning problems.

This information is provided for the customer's investigation and independent verification. While the data is believed to be correct at time of publishing, the use of this data and of the product is beyond the manufacturer's control. SuperSteam Asia Pacific Pte Ltd shall in no event be responsible for any loss or damages whatsoever, directly or indirectly resulting from the publication or use of or reliance upon the data contained herein. No warranty, either expressed or implied, of merchantability, of fitness, or of any nature with respect to the product, or to the data, is made herein. In all cases, it is the responsibility of the user to determine the applicability of such information or the suitability of any products for their own particular purpose.

~ End of SDS ~